

INTL-0674-US
(P12992)

APPLICATION
FOR
UNITED STATES LETTERS PATENT

TITLE: UPGRADING CELLULAR TELEPHONES

INVENTOR: KELAN C. SILVESTER

Express Mail No. EL911616915US

Date: OCTOBER 9, 2001

UPGRADING CELLULAR TELEPHONES

Background

This invention relates generally to cellular telephones.

5 Existing cellular telephones come in a variety of price ranges. Cell phones at the bottom price ranges come with very rudimentary features. For example, basic cell phones may include a baseband processor or a digital signal processor, but they may not include an application

10 processor to provide advanced features, such as address books, phone directories, and advanced call features, to mention a few examples. The hope of the cellular telephone providers is that ultimately the cell phone users will progress to ever more advanced cellular telephones.

15 However, when a cellular telephone user decides to upgrade to a more advanced cellular telephone, his or her existing cellular telephone becomes largely useless. The market for resale of basic cellular telephones is relatively limited.

20 Therefore, it would be desirable to enable cellular telephones that may be both mass produced and user configurable.

Brief Description of the Drawings

Figure 1 is a front elevational view of one embodiment of the present invention;

5 Figure 2 is an exploded front elevational view of the embodiment shown in Figure 1;

Figure 3 is a schematic depiction of the cellular telephone shown in Figure 1 in accordance with one embodiment of the present invention;

10 Figure 4 is a perspective view of another embodiment of the present invention;

Figure 5 is a rear elevational view of still another embodiment of the present invention; and

Figure 6 is a perspective view of still another embodiment of the present invention.

15 Detailed Description

Referring to Figure 1, a cellular telephone 10 may include a housing 11 that slidably receives a replaceable module 12a. The housing 11 may also include a keyboard 16 in some embodiments.

20 Thus, referring to Figure 2, the replaceable module 12a is slidably received into a compartment 18 through the front surface of the housing 11.

25 In some embodiments, this slideably received module 12a may include a display 14a and a variety of other upgrade components including upgraded memory, an upgraded processor, an upgraded display, as well as upgraded

software in some embodiments. Thus, by simply replacing one module 12a with another module, the cellular telephone 10 may be upgraded to attain new and/or different functionalities.

5 Referring to Figure 3, a basic cellular telephone may include a bus 50 that communicates with a baseband controller 56 and a storage 60 for the baseband controller 56. In some embodiments, a digital signal processor (DSP) 62 may be coupled to the bus 50. The DSP 62 may include 10 its own storage 64. An interface 52 may be provided to interact with one or more modules 12. The module 12 may be a PC card or a memory card, or any of a variety of cards that provide upgraded capabilities to the cellular telephone 10.

15 A card 66 may also be coupled into the bus 50 through contacts 68a and 68b. The contacts 68a and 68b may be slideable contacts so that the card 66 simply plugs into the connectors 70a and 70b that in turn couple the card 66 electrically to the bus 50. In one embodiment, the 20 contacts 68 may be provided on the rear side of the module 12a.

The card 66, in one embodiment, may include a general purpose or applications processor 54 and a storage 58 for the processor 54. Thus, in some embodiments, a variety of 25 additional functions, beyond simply completing cellular telephone calls, may be provided using the card 66. For

example, the general purpose processor 54 and storage 58 may include software to implement personal information manager (PIM) functions, such as address books, games, scheduling, calculator functions and the like. Thus, the 5 user may simply replace an existing module 12 with an upgrade module 12 and/or provide a new upgrade card 66 that provides additional processing capabilities.

As a result, in some embodiments, users may custom 10 configure their cell phones to include that hardware and software that the user actually wants. In addition, a user may purchase a relatively basic cellular telephone and then 15 may upgrade with those capabilities the user desires.

Referring to Figure 4, in accordance with another embodiment of the present invention, a slideably received 20 module 12b may slide sideways into the housing 11a into a compartment 18a that opens on one side of the housing 11a. The module 12b may include an enhanced display 14b that provides more functions than the module 12a in one embodiment. Thus, one module 12 may simply be unplugged and another module 12 slidably plugged into the 25 compartment 18a.

Turning next to Figure 5, a cellular telephone 10b may receive a slidably pluggable module 12c through the battery compartment 18b with the battery removed. In other words, 25 the module 12c may be plugged in with the battery removed, the battery may then be replaced over the module 12c and

then the cover (not shown) may be secured on the housing 11.

Referring finally to Figure 6, in accordance with still another embodiment, a compartment 18c may slidingly 5 receive a module 12d through the bottom end 22 of the cellular telephone 10c. A catch 26 may be provided to releasably lock the module 12d within the compartment 18c. The upgrade modules 12 may be flash memory cards in one embodiment, or they may be PC cards in another embodiment. 10 PC or memory cards may be plugged in as cards with new functions are developed.

For example, a cellular telephone with a PC card can use an Ethernet adapter to plug into a local area network, for example, through an 802.11 wireless connection for fast 15 access to data (IEEE Standard 802.11 available from the Institute of Electrical and Electronics Engineers, New York, New York). In addition, memory cards, such as flash memory cards that are either programmable or pre-programmed with desired data, may be plugged into the cellular 20 telephone 10.

In some embodiments, the cellular telephone 10 may receive memories that were programmed to store data at other processor-based devices, such a laptop or desktop computer. The memory can then simply be removed from the 25 other processor-based system and plugged into the cellular telephone 10 to provide enhanced features for the cellular

telephone 10. This operation may enhance the use of the cellular telephone 10 because it is not necessary to use a limited keyboard 16 to enter the data. Instead, the data can be loaded through a more fully featured processor-based 5 system. The pre-programmed memory can then be plugged into the phone 10.

While the present invention has been described with respect to a limited number of embodiments, those skilled in the art will appreciate numerous modifications and 10 variations therefrom. It is intended that the appended claims cover all such modifications and variations as fall within the true spirit and scope of this present invention.

What is claimed is: